

Customization Anti Oxidation FRP Elbow Flanged Glass For Water Gas Oil Convey Suppyly GRP

Basic Information

- Place of Origin:
- Brand Name:
- Model Number: Custom
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- ShanDong province,CHINA YONGDA Customized one piece,to be negotiated \$30-50 per piece USD 30-50 /per piece ,to be negotiated nude packing or bundled TEU or FR TEU ,to be negotiated 15 days To be negotiated according order L/C, T/T, Western Union 100 pieces per Week



保设备供应商

Product Specification

- Application:
- Technique:
- Procuct Name:
- Highlight:
- Pipe Connection,Pipe Connector Type Pultrision Hand-layup Frp Elbow
- Anti Oxidation frp elbow, Water frp elbow, Gas frp elbow Flanged



Product Description

Customization Anti Oxidation FRP Elbow flanged glass elbow for water gas oil convey suppyly FRP GRP

Key attribute

Industry-specific attribute

Application	Pipe connection, pipe connector type, etc	
techinque	Pultruded process,hand lay-up	

Other attribute

Diameter	DN15-DN40	00,customized		
Surface Treatment	smooth,Cus	smooth,Customized		
Marketing Type	Hot Product	Hot Product 2024		
Length	6m,12m or c	6m,12m or customized		
Thickness	Customized	Customized		
color	black,or cus	black,or customized		
material	Fiber plastic	Fiber plastic,FRP,		
Brand Name	YongDa	YongDa		
product name	Fiberglass E	Fiberglass Elbow,Frp eblow		
place of origin	Shandong p	Shandong province,CHINA		
shape	camber,Cus	camber,Customized		
pessure	0.1Mpa-1.0N	0.1Mpa-1.0Mpa		
Packaging and delivery	/			
packaging Details		standard package or according to customers' needs		
port	QingDao, or	QingDao, or Customized		
Supply Ability				
selling units	single item	single item		
single package size	based on or	based on orders		
Single gross weight	based on or	based on orders		
Supply Ability	1000 square	1000 square per Week		
Lead time				
quantity(pieces)	1-500	500		
Lead time(days)	15	To be negotiated		

Customization



Min. order: 100

Production Description

FRP elbow/flanged glass elbow

It consists of an inner surface layer, a sub-inner surface layer, a structural layer, and an outer surface layer, and we will conduct gel tests under local weather conditions to determine the proportion of resin, curing agent, and accelerator. The first inner surface layer is a corrosion-resistant layer, composed of gel coat and surface pad, resin content of more than 90%, thickness of 0.5mm.

The second inner surface layer, which is a leak-proof layer, uses alkali-free glass short cut felt and resin, and the resin content is 70%-75%. The thickness is not less than 2.1mm, and the layer can effectively prevent the expansion of fine cracks on the inner surface. Therefore, it plays a role of double protection. Structural layer, which strengthens the inner and secondary inner surface layers, resists external loads, and ensures stiffness and strength. It is made of alkali-free glass fiber and glass woven fabric with a resin content of 50±5 %. The thickness depends on the calculation of the specific conditions. The outer surface layer is an aging-resistant layer. The use of resins containing ultraviolet absorbers can effectively prevent aging under outdoor ultraviolet radiation. The thickness is 0.5mm.

Products Advantages:

the inner wall is smooth, not easy to leak, easy to maintain, not easy to deform, Good compressive performance: water pressure resistance, external tooth strength, impact strength are good and can be designed and manufactured according to the required pressure; High performance and stability of quality: smooth inner wall of the pipeline, light weight, small fluid resistance, strong temperature adaptability,





Company Profile

Weifang Yongda FRP Co., Ltd. was founded in 2009, is a professional engaged in glass fiber reinforced thermosetting plastic and other new composite materials research and development, production, sales, service, a comprehensive scale of four-in-one enterprise!

The company's main products: FRP pipes, pipe fittings, FRP purification tower series, biological deodorization filter tank, environmental protection equipment, exhaust gas treatment system, activated carbon adsorption tank, septic tank, cooling tower series, storage tanks, equipment tanks, aquaculture equipment, equipment shrouds, and to undertake anticorrosive engineering, thermal insulation engineering, VOCs purification project.

Translated with DeepL.com (free version)



FAQ

Q1: What is your company name? WeiFang YongDa FRP Co., Ltd

Q2: Are you a factory or a trading company? We are a factory and a professional manufacturer of FRP products. We have more than 50 skilled technicians. In addition, we have professional mold engineers for design and production.

Q3: Where is your factory? How can I visit you? West side of the road about 3 kilometers north of Wenhe Bridge Toll Station on National Highway 206, Ying qiu Town, Chang Le County, Weifang City, Shandong Province, China.If you come to our factory, I will arrange a pick-up for you so that we can meet up faster.

Q4: How can you guarantee the product quality? We have the quality control system ISO9001:2015, and it's been followed strictly. We also have the professional QC team, and each our package worker will be in charge of the final inspection according to the QC instruction before packing.

Q5: Can you do OEM for me? We accept all OEM orders, just contact us and give me your design,we will offer you a reasonable price ASAP.

Q6: What payment methods do you support? T/T, L/C. western union



Weifang Yongda FRP Co., Ltd.

86 15105367999

West side of the road about 3 kilometers north of Wenhe Bridge Toll Station on National Highway 206, Yingqiu Town, Changle County, Weifang City, Shandong Province, China.