

Lightweight FRP Pipe Processed By Filament Winding For Durability And Efficiency

Basic Information

Place of Origin: ShanDong province, CHINA

Brand Name: Fiberglass PipeModel Number: Customized

 Minimum Order Quantity: one meter,to be negotiated

• Price:

\$5-10/meter USD 5-10 per meter ,to be

negotiated

• Packaging Details: nude packing or bundled TEU or FR TEU ,to

be negotiated

Delivery Time:
 15 days To be negotiated according order

Payment Terms: L/C, T/T, Western Union
 Supply Ability: 1000 meters per week



Product Specification

• Shape: Round

• Use: Water ,oil Treatment

Process: Filament Winding MethodMaterial: Fiberglass Reinforced Plastic

• High Strength: Yes

• Durability: Long-lasting

• Temperature Rating: Normal Temperature High Temperature

Needs To Be Explained

Max Length: 12meter

• Highlight: Lightweight FRP Pipe,

Filament Winding Processed FRP Pipe, high Durability fiber reinforced plastic pipe



Product Description:

Our Composite Fiber Pipes are available in a variety of colors, including green, black, or can be customized to your preference.

Additionally, our pipes come with printed flanges for easy installation and maximum compatibility with your existing systems.

With a maximum length of 12 meters, our Composite Fiber Pipes are suitable for a range of applications, including chemical processing, water treatment, and offshore drilling. The long-lasting durability of our pipes ensures that they will withstand the test of time, reducing the need for frequent replacements and saving you both time and money in the long run.

Choose our Composite Fiber Pipe for a reliable and efficient solution to your piping needs.





Features:

Product Name: FRP Pipe

Flange: Printed

Process: Filament Winding Method

High Strength: Yes Max Length: 12meter

Diameter Range: DN50-2000mm

Keywords: Composite Fiber Pipe, Fiber Reinforced Polymer Pipe, Fiber Reinforced Polymer Pipe

Technical Parameters:

Attribute	Value

Product Name	Fiber Reinforced Polymer Pipe (FRP Pipe), Composite Fiber Pipe
Durability	Long-lasting
Use	Water, oil treatment
Process	Filament Winding Method
Material	Fiberglass Reinforced Plastic
Diameter Range	DN50-2000mm
Max Length	12 meters
Color	Green, Black, or Customized
Shape	Round
Temperature Rating	Normal Temperature (High Temperature Needs To Be Explained)
High Strength	Yes

Applications:

The Reinforced Fiberglass Pipe is suitable for use in a variety of water and oil treatment scenarios, making it an excellent choice for industrial and commercial applications. The product has a round shape and is made from Fiberglass Reinforced Plastic. This gives it excellent durability and resistance to corrosion, ensuring that it can withstand even the harshest of environments.

The Fiberglass Pipe is available at a price of \$5-10 per meter, which can be negotiated based on the order quantity and other factors. The product is supplied in nude packing or bundled in TEU or FR TEU, depending on the customer's preference. Delivery time is typically around 15 days, but this can also be negotiated based on the order.

The Reinforced Fiberglass Pipe is available with a range of payment options, including L/C, T/T, and Western Union. The product has a supply capacity of 1000 meters per week, making it an excellent choice for businesses that require a reliable and high-quality product on a regular basis.

In summary, the Reinforced Fiberglass Pipe is a versatile and durable product that is suitable for a wide range of industrial and commercial applications. Its excellent resistance to corrosion and durability make it an excellent choice for water and oil treatment scenarios. The product is available at a competitive price, with multiple payment options and a flexible delivery schedule.

Customization:

Brand Name: Fiberglass Pipe Model Number: Customized

Place of Origin: ShanDong province, CHINA Minimum Order Quantity: one meter, to be negotiated

Price: \$5-10/meter, USD 5-10 per meter, to be negotiated

Packaging Details: nude packing or bundled, TEU or FR TEU, to be negotiated

Delivery Time: 15 days, to be negotiated according to order

Payment Terms: L/C, T/T, Western Union Supply Ability: 1000 meters per week

Temperature Rating: Normal Temperature (High Temperature Needs To Be Explained)

Max Length: 12 meter Shape: Round High Strength: Yes Lightweight: Yes

Reinforced Fiberglass Pipe, Fiber Reinforced Polymer Pipe, Reinforced Fiberglass Pipe

Support and Services:

Our FRP Pipe product comes with comprehensive technical support and services. Our team of experts can provide assistance with installation, maintenance, and troubleshooting of the product. We also offer customization options to meet specific project requirements. Additionally, we provide training sessions for your staff to ensure safe handling and proper maintenance of the product. Contact us for more information on our technical support and services.





86 15105367999



wfydfrp@163.com



plasticfrp.com